


AMENDMENT OF SOLICITATION / MODIFICATION OF CONTRACT			1. CONTRACT ID CODE	PAGE OF PAGES
			1	1
2. AMENDMENT/MODIFICATION NO. A002	3. EFFECTIVE DATE See Item 16C.	4. REQUISITION/PURCHASE REQ. NO. PR9814249		5. PROJECT NO.
6. ISSUED BY Procurement/Contracting Office U.S. Embassy 1-10-5 Akasaka Minato-ku, Tokyo 107-8420 Japan		7. ADMINISTERED BY See Item 6.		
8. NAME AND ADDRESS OF CONTRACTOR		√	9a. AMENDMENT OF SOLICITATION NO. 19JA80-21-Q-0001	
			9b. DATED (SEE ITEM 11) April 20, 2021	
			10a. MODIFICATION OF CONTRACT/ORDER NO.	
			10b. DATED (SEE ITEM 13)	
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS				
<p>[✓] The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers [] is extended, [✓] is not extended. Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation, or as amended, by one of the following methods:</p> <p>(a) by completing Items 8 and 15 and returning one copy of the amendment;</p> <p>(b) by acknowledging receipt of this amendment on each copy of the offer submitted; or</p> <p>(c) by separate letter or telegram which includes a reference to the solicitation and amendment numbers.</p> <p>FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER.</p> <p>If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment and is received prior to the opening hour and date specified.</p>				
12. ACCOUNTING AND APPROPRIATION DATA				
N/A				
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS; IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.				
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.				
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).				
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:				
D. OTHER:				
E. IMPORTANT: Contractor [] is not, [] is required to sign this document and return <u>one</u> copy to the issuing office.				
14. DESCRIPTION OF AMENDMENT/MODIFICATION				
Request for Quotations (RFQ) No. 19JA80-21-Q-0001, Fan Coil Pipe Insulation Replacement Services, is hereby amended as follows:				
Delete Page 4 under Section B: Supplies or Services and Prices/Costs and Page 14 under Section C: Description/Specifications/Statement of Work of RFQ in their entirety and replace with the attached revised Pages 4 and 14, effective the date of the Contracting Officer's signature.				
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remain unchanged and in full force and effect.				
15A. NAME AND TITLE OF SIGNER <i>Type or print</i>		16A. NAME OF CONTRACTING OFFICER Darin A. Phaovisaid		
15B. NAME OF CONTRACTOR/OFFEROR BY <i>(signature of person authorized to sign)</i>	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA BY  <i>(signature of Contracting Officer)</i>	16C. DATE SIGNED 5/7/2021	

B.3.2 Base Year Prices (starting on the date stated in the Notice to Proceed and continuing for a period of 12 months).

CLIN	Description	Unit of measure	Price per Unit x	*Estimated Quantity =	**Total Estimated Price
001	Case 1 (see Section C.3.2.1)	Set	¥	14	¥
002	Case 2 (see Section C.3.2.2)	FCU	¥	10	¥
003	Case 3 (see Section C.3.2.3)	Set	¥	4	¥
004	Case 4 (see Section C.3.2.4)	m	¥	20	¥
Estimated Grand Total for Base Year:					¥

*Estimated Quantity: for evaluation purposes only

** This Total Estimated Price is based on total estimated Government requirements for this period of performance. If more than one award is made, the estimated amount of work awarded under task order(s) to any single Contractor will be less than the amount shown.

B.3.3. First Option Year Prices (starting one year after the date stated in the Notice to Proceed and continuing for a period of 12 months).

CLIN	Description	Unit of measure	Price per Unit x	*Estimated Quantity =	**Total Estimated Price
001	Case 1 (see Section C.3.2.1)	Set	¥	14	¥
002	Case 2 (see Section C.3.2.2)	FCU	¥	10	¥
003	Case 3 (see Section C.3.2.3)	Set	¥	4	¥
004	Case 4 (see Section C.3.2.4)	m	¥	20	¥
Estimated Grand Total for First Option Year:					¥

*Estimated Quantity: for evaluation purposes only

** This Total Estimated Price is based on total estimated Government requirements for this period of performance. If more than one award is made, the estimated amount of work awarded under task order(s) to any single Contractor will be less than the amount shown.

3) **Case 3:** The contractor shall replace bad horizontal and vertical chilled water pipe insulation in other pipe shafts, pipes that runs behind the wall and ceilings like those connected to air purge valves, FCU in the dining room, sleeping bedrooms and other pipes supplying water to wall type FCU. This work includes sealing all gaps around the area (minimum of 11 locations shall be opened and sealed) and application of wool insulation material and/or dry boards partitions if necessary. The contractor shall carefully wrap the insulation with plastic especially on the connection point between the old insulation and the new insulation. The case 4 shall be calculated in per meter length basis including both for replacement of insulation and drywall. The contractor shall complete the work in 3 working days. [The Contractor shall provide the price of the Case 3 based on one set of PHG3B type \(G5022\) apartment with approximately 45 linear meters of pipe insulation and associated drywall replacement work.](#)



Photo 6: Case 3

3) **Case 4:** The contractor shall replace horizontal and vertical pipes found to be in bad condition after the removal of insulation. The scope of work shall be calculated in per meter length basis. Pipe size is 50mm diameter in maximum and made of Steel Galvanized Pipe (SGP). The contractor shall complete the work in 2 working days. Leak check, including enough and proper air purge and flushing of the rusty chips & water shall be performed accordingly upon completion of the installation.